

Panneau photovoltaïque Next Pro 340W 1684 x 1002 x 35 mm

Kod Electriquo: 106939




UWAGA: Zdjęcie poglądowe dla całej rodziny produktów.

Dane techniczne:

- Pouvoir **340W**
- Efficacité **20,15%**
- Dimensions **1684 x 1002 x 35 mm**
- Type de cellule **monokrystaliczne**
- Disposition des liens -
- Waga **24.30**
- Pouvoir **340W**
- Efficacité **20,15%**
- Dimensions **1684 x 1002 x 35 mm**
- Type de cellule **monokrystaliczne**
- Disposition des liens -
- Waga **24.30**

- Puissance 340 W
- 120 cellules PERC G1
- Cadre argenté et dos blanc
- Courant du module environ 10 A

Série Retrofit - Spécialement conçue pour remplacer les anciens modules photovoltaïques



Note: dimensions in mm, tolerance +/- 2 mm

UWAGA: Zdjęcie poglądowe dla całej rodziny produktów.

Mechanical Specifications

Dimensions	1684 x 1002 x 35 mm
Weight	19.5 kg
Glass	High transmission, Low iron, Tempered, ARC, Thickness 3.2 mm
Cells	120 monocrystalline PERC cells 158.75 x 158.75 mm
Frame	Silver anodized aluminium frame with mounting and drainage holes
Junction boxes	Certified according to IEC 62790, IP 68 approved, 3 bypass diodes
Cables	Solar cable, length 1200 mm or customized assembled with 4mm ² compatible connectors
Backsheet	Composite Multilayer film - white
Maximum reverse current (Ir)	20 A
Maximum system voltage	1000 V (1500 V on request)
Mechanical load (snow)	Design load: 3600 Pa, (5400 Pa including safety factor 1.5)
Mechanical load (wind)	Design load: 1600 Pa, (2400 Pa including safety factor 1.5)

UWAGA: Zdjęcie poglądowe dla całej rodziny produktów.